

Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 1 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION)

高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION)

樣品名稱(Sample Name) : HIPS

樣品型號(Style/Item No.) : PS-316、PS-333、PS-350、PS-350S、PS-350K、PS-302、PS-350HF

收件日(Sample Receiving Date)

: 16-Dec-2024

測試期間(Testing Period)

: 16-Dec-2024 to 23-Dec-2024

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定‧測試 PAHs 及其他測項。 (As specified by client, to test PAHs and other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion)

(1) 根據客戶所提供的樣品·其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部 图理**SGS**Ray Chang, Ph.D./ Department Manager
Signed for and on behaliting SGS TAIWAN LTD.

化學實驗室-高雄/Chemical Laboratory-Kaohsiung



PIN CODE: 141F5998



Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 2 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

測試部位敘述 (Test Part Description)

No.1 : 白色塑膠粒 (WHITE PLASTIC PELLETS)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
鉛 (Pb) (Lead (Pb))	62321-5: 2013, analysis was performed	mg/kg	2	n.d.	1000
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017,	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017 · 以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI))	光分光光度計分析。(With reference to				
	IEC 62321-7-2: 2017, analysis was				
	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)	1	mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	=
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	- 参考IEC 62321-6: 2015,以氣相層析儀/質 - 譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	- 6: 2015, analysis was performed by	mg/kg	5	n.d.	=
七溴聯苯 (Heptabromobiphenyl)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)]	mg/kg	5	n.d.	=
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	
多溴聯苯總和 (Sum of PBBs)	7	mg/kg	-	n.d.	1000



Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 3 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

測試項目	測試方法		MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)] *参考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	 :::: 議分析。(With reference to IFC 62321- ┣━		5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1VI3.)	mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (DBP))	譜儀分析。(With reference to IEC 62321-				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	8: 2017, analysis was performed by	mg/kg	50	n.d.	1000
phthalate (DIBP))	GC/MS.)				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))					
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	参考US EPA 3052: 1996,以感應耦合電漿	mg/kg	2	n.d.	-
36-0)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
六溴環十二烷及所有主要被辨別出的異構	參考IEC 62321: 2008,以氣相層析儀/質譜	mg/kg	5	n.d.	-
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	儀分析。(With reference to IEC 62321:				
HBCDD) (Hexabromocyclododecane	2008, analysis was performed by				
(HBCDD) and all major	GC/MS.)				
diastereoisomers identified (α - HBCDD,					
β- HBCDD, γ- HBCDD)) (CAS No.:					
25637-99-4, 3194-55-6 (134237-51-7,					
134237-50-6, 134237-52-8))					



Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024

頁數(Page): 4 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
多環芳香烴 (Polycyclic Aromatic					
Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.:		mg/kg	0.2	n.d.	-
50-32-8)					
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.:		mg/kg	0.2	n.d.	-
192-97-2)					
苯駢蒽 (Benzo[a]anthracene) (CAS No.:		mg/kg	0.2	n.d.	-
56-55-3)					
苯(b)苯駢芴 (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.	-
(CAS No.: 205-99-2)					
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS		mg/kg	0.2	n.d.	-
No.: 205-82-3)					
苯(k)苯駢芴 (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.	-
(CAS No.: 207-08-9)	參考AfPS GS 2019:01 PAK,以氣相層析儀				
菌 (Chrysene) (CAS No.: 218-01-9)	/質譜儀分析。(With reference to AfPS GS	mg/kg	0.2	n.d.	-
二苯駢蒽 (Dibenzo[a,h]anthracene)	2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	-
(CAS No.: 53-70-3)	GC/MS.)				
苯駢菲 (Benzo[g,h,i]perylene) (CAS No.:		mg/kg	0.2	n.d.	-
191-24-2)					
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS		mg/kg	0.2	n.d.	-
No.: 193-39-5)					
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	-
苯駢芴 (Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.	-
44-0)					
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	-
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	-
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	-
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	-
苊烯 (Acenaphthylene) (CAS No.: 208-	參考AfPS GS 2019:01 PAK · 以氣相層析儀	mg/kg	0.2	n.d.	-
96-8)	/質譜儀分析。(With reference to AfPS GS				
苊 (Acenaphthene) (CAS No.: 83-32-9)	2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	-
芴 (Fluorene) (CAS No.: 86-73-7)	GC/MS.)	mg/kg	0.2	n.d.	-



Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 5 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
短鏈氯化石蠟(C10-C13) (SCCP) (Short Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8)	參考ISO 18219-1: 2021·以氣相層析儀/ 質譜儀分析。(With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)		mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明·參照ILAC-G8:09/2019決定規則·採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 6 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

PAHs Remark:

△ 德國產品安全委員會(AfPS): GS PAHs 要求
AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 2 類(Category 2)		第 3 類(Category 3)		
	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3			不屬於第 1 類或第 2 類的材料·並意 圖或可預見與皮膚接觸不超過 30 秒 (短期皮膚接觸)(Materials not covered by Category 1 or 2, with		
	years of age with intended long-term skin contact (> 30 seconds))	供 14 歲以下兒童使	consumer	a. 供 14 歳以下兒童使 用的產品(Use by children under 14)	consumer	
Naphthalene	< 1	< 2		< 10		
Phenanthrene						
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Fluoranthene	\ 1 Sulli	\ 3 3uiii	< 10 3um	< 20 Julii	< 50 Suiti	
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50	

單位(Unit):mg/kg



Test Report


號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 7 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 8 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART






Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 9 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

可塑劑分析流程圖 / Analytical flow chart of phthalate content

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024

頁數(Page): 10 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION)


高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件、樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.




Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 11 of 15



Test Report


號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 12 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 13 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

鹵素分析流程圖 / Analytical flow chart of Halogen






Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 14 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

多環芳香烴分析流程圖 / PAHs (Poly Aromatic Hydrocarbons) analytical flow chart





Test Report

號碼(No.): EKR24C01198 日期(Date): 23-Dec-2024 頁數(Page): 15 of 15

國亨化學股份有限公司 (GPPC CHEMICAL CORPORATION) 高雄市路竹區長興路66號 (NO.66, CHANG HSIN ROAD, LU-CHU DIST., KAOHSIUNG 821-50, TAIWAN, R.O.C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR24C01198



** 報告結尾 (End of Report) **